

4-5 Determinants

The determinant of a matrix is a value of a square matrix that will be used to:

- calculate the inverse of a matrix
- solve systems

Nov 16-9:11 AM

2x2 Matrix (2nd order determinants)

The determinant, D, is calculated as follows:

$$D = \begin{vmatrix} a & b \\ c & d \end{vmatrix} = ad - bc$$

ex:

$$\begin{vmatrix} 5 & 10 \\ 8 & -3 \end{vmatrix} = -15 - 80$$

-95

Nov 16-9:23 AM

ex:

$$\begin{vmatrix} 2 & 6 \\ -5 & 1 \end{vmatrix} =$$

$$-2 - -30$$
$$= 28$$

ex:

$$\begin{vmatrix} 4 & 10 \\ 2 & 5 \end{vmatrix} = 0$$

Nov 16-9:16 AM

ex:

$$\begin{vmatrix} 4 & 6 \\ x & 12 \end{vmatrix} = 12$$

$$48 - 6x = 12$$

$$-6x = -36$$

$$x = 6$$

Nov 16-9:16 AM

3x3 Matrix (3rd order determinants)

Before calculating the determinant, D, we must define a minor.

Minor --of an element in a determinant is the determinant resulting from the deletion of the row and column containing the element.

ex:

$$\begin{vmatrix} 5 & -1 & -2 \\ 3 & 6 & -7 \\ 2 & -3 & 4 \end{vmatrix}$$

The minor of 5 is:

$$\begin{bmatrix} 6 & -7 \\ -3 & 4 \end{bmatrix}$$

The minor of 6 is:

$$\begin{bmatrix} 5 & -2 \\ 2 & 4 \end{bmatrix}$$

The minor of -7 is:

$$\begin{bmatrix} 5 & -1 \\ 2 & -3 \end{bmatrix}$$

Nov 16-9:28 AM

Evaluate the determinant, using expansion by minors.

ex:

$$\begin{vmatrix} 5 & -1 & -2 \\ 3 & 6 & -7 \\ 2 & -3 & 4 \end{vmatrix}$$

$$\begin{aligned} &+5 \begin{vmatrix} 6 & -7 \\ -3 & 4 \end{vmatrix} - (-1) \begin{vmatrix} 3 & -7 \\ 2 & 4 \end{vmatrix} + (-2) \begin{vmatrix} 3 & 6 \\ 2 & -3 \end{vmatrix} \\ &\quad 24 - 21 \quad \quad 12 - -14 \quad \quad -9 - 12 \\ &\quad 15 \quad \quad +26 \quad \quad -26 \quad \quad +42 \quad \quad -21 \\ &= 83 \end{aligned}$$

Nov 16-9:34 AM

$$\begin{vmatrix} + & - & + \\ - & + & - \\ + & - & + \end{vmatrix}$$

Nov 16-9:37 AM

Evaluate the determinant, using expansion by minors.

ex:

$$\begin{vmatrix} 2 & -1 & -6 \\ 3 & 4 & 2 \\ 5 & -2 & 3 \end{vmatrix}$$

$$\begin{aligned} & -3 \begin{vmatrix} -1 & -6 \\ -2 & 3 \end{vmatrix} + 4 \begin{vmatrix} 2 & -6 \\ 5 & 3 \end{vmatrix} - 2 \begin{vmatrix} 2 & -1 \\ 5 & -2 \end{vmatrix} \\ & \quad -3 \begin{matrix} -3 & -12 \\ & -15 \end{matrix} \quad \quad \quad 4 \begin{matrix} 6 & -30 \\ & 36 \end{matrix} \quad \quad \quad -2 \begin{matrix} -4 & +15 \\ & 1 \end{matrix} \\ & \quad \quad \quad 45 \quad \quad \quad + \quad 144 \quad \quad \quad -2 \\ & \quad \quad \quad = 187 \end{aligned}$$

Nov 16-9:39 AM

Evaluate the determinant, using expansion by minors.

ex:

$$\begin{vmatrix} 5 & 2 & 34 \\ -1 & 3 & 22 \\ 0 & 0 & 4 \end{vmatrix}$$

$$0 \begin{vmatrix} 1 & 1 \\ 0 & 1 \end{vmatrix} - 0 \begin{vmatrix} 1 & 1 \\ 0 & 1 \end{vmatrix} + 4 \begin{vmatrix} 5 & 2 \\ -1 & 3 \end{vmatrix}$$

$$15 - -2$$

$$68$$

Nov 16-9:39 AM

p186
15-19,27-31,39

Nov 16-9:41 AM